

Automobilové pracovní plošiny



RUTHMANN ECOLINE 230

CZ



EN



Automobilové pracovní plošiny


RUTHMANN ECOLINE 230



MODEL ECOLINE 230



TECHNICKÉ PARAMETRY

Pracovní výška max.	23 m
Výška podlahy koše max.	21 m
Stranový dosah max.	16,9 m
Nosnost koše max.	250 kg
Rozměry pracovního koše	1,30 m x 0,70 m
Celková výška	2,98 m
Celková délka	7,77 m
Rozvor náprav	3,67 m
Rozsah rotace věže	360° (2 x 180°)
Rozsah rotace pracovního koše	± 90°
Max. přípustná celková hmotnost	3.500 kg



KLÍČOVÉ VLASTNOSTI

- Přímý teleskop s bezkonkurenčním stranovým dosahem
- Go-home funkce
- Příklady možné extra výbavy: Rotace věže 440° (2 x 220°),
- Ustavení podpěr v profilu vozidla, automatické ustavení, protikolizní systém



15.5.2024 Změny a chyby vyhrazeny. Přesné údaje závisí na zvoleném podvozku.

Aktuální nabídka




Truck-mounted platforms

RUTHMANN ECOLINE 230



MODEL	ECOLINE 230
TECHNICAL DATA	
Working height max.	23 m
Platform height max.	21 m
Horizontal outreach max.	16,9 m
Work basket load capacity	250 kg
Work basket size	1,30 m x 0,70 m
Total height	2,98 m
Total length	7,77 m
Wheelbase	3,67 m
Range of rotation	360° (2 x 180°)
Platform rotation	± 90°
Permissible total weight	3.500 kg





OPERATING CHARACTERISTICS

Direct telescopic boom with great horizontal outreach

Go-home function

Examples of extra options: Turret rotation 440° (2 x 220°), stabilization in vehicle profile, self stabilization, anti-collision system



15.5.2024 Changes and errors reserved. Exact data depends on selected chassis.

Current Offer

