

Automobilové pracovní plošiny**VERSALIFT****Versalift VTA-135-H/ Isuzu D-Max**

CZ



EN



Automobilové pracovní plošiny

Versalift VTA-135-H/ Isuzu D-Max




MODEL	VTA-135-H
TECHNICKÉ PARAMETRY	
Pracovní výška max.	13,6 m
Výška podlahy koše max.	11,6 m
Stranový dosah max.	6,4 m
Nosnost koše max.	230 kg
Osob v pracovním koši max.	2
Celková délka	5570 mm
Celková výška	2500 mm
Rozvor náprav	3125 mm
Otoč věže	370°
Pracovní náklon max.	3°/5°
Izolace s certifikací pro nízké napětí do	1 kV
Hmotnost	3100 kg



KLÍČOVÉ VLASTNOSTI

Nosnost 230 kg v celém pracovním rozsahu
2x "A" podpěry pro kompaktní ustavení
Plně hydraulického proporcionálního ovládání



Aktuální nabídka

19.3.2024

Změny a chyby vyhrazeny



Truck-mounted platforms

Versalift VTA-135-H/ Isuzu D-Max




MODEL	VTA-135-H
TECHNICAL DATA	
Working height max.	13,6 m
Platform height max.	11,6 m
Horizontal outreach max.	6,4 m
Platform capacity	230 kg
Persons in platform max.	2
Length	5570 mm
Height	2500 mm
Wheelbase	3125 mm
Range of rotation	370°
Maximum working slope	3°/5°
Certified low voltage insulation	1 kV
Weight	3100 kg



OPERATING CHARACTERISTICS

230kg bucket capacity without any restrictions
Double A-frame outriggers for compact setup
Full hydraulic control



Current Offer

19.3.2024

Changes and errors reserved

