

Automobilové pracovní plošiny

VERSALIFT

Versalift VTL-140-F/ MB Sprinter

CZ



EN



Automobilové pracovní plošiny

Versalift VTL-140-F/ MB Sprinter



MODEL	VTL-140-F
TECHNICKÉ PARAMETRY	
Pracovní výška max.	13,9 m
Výška podlahy koše max.	11,9 m
Stranový dosah max.	8,5 m
Nosnost koše max.	230 kg
Osob v pracovním koši max.	2
Celková délka	7,200 mm
Celková výška	3,480 mm
Rozvor náprav	3,665 mm
Otoč věže	420°
Pracovní náklon max.	3°/5°
Izolace s certifikací pro nízké napětí do	1 kV
Hmotnost	3500 kg





KLÍČOVÉ VLASTNOSTI

Nouzové spouštění na podvozku

Podpěry nepřesahují úroveň zpětných zrcátek

Zadní přesah věže nepřesahuje úroveň zrcátek

Dostupné pro řídičský průkaz B



Aktuální nabídka

19.3.2024

Změny a chyby vyhrazeny



Truck-mounted platforms

Versalift VTL-140-F/ MB Sprinter





MODEL	VTL-140-F
TECHNICAL DATA	
Working height max.	13,9 m
Platform height max.	11,9 m
Horizontal outreach max.	8,5 m
Platform capacity	230 kg
Persons in platform max.	2
Length	7,200 mm
Height	3,480 mm
Wheelbase	3,665 mm
Range of rotation	420°
Maximum working slope	3°/5°
Certified low voltage insulation	1 kV
Weight	3500 kg



OPERATING CHARACTERISTICS

Emergency lowering controls at the pedestal
 Outriggers within the mirror
 Turret tailswing within the mirrors
 Available for class B driving license



Current Offer

19.3.2024

Changes and errors reserved

